





Suspension luminaire with direct light for indoor use.	The surprise of an extremely thin yet very bright lamp.	The roses available are in textured matt black or matt white painted steel. The body is in matt or brushed black, bronze or natural anodised aluminium. SOTTILE DE is dual emission.	The light source is LED with integrated module. The electric cable is coaxial and matt black. A range of roses and power supplies are available.
Apparecchio di illuminazione a sospensione, a luce diretta, per interni.	La sorpresa di una lampada estremamente sottile, ma al contempo molto luminosa.	I rosoni disponibili sono in acciaio verniciati bianco opaco o nero opaco texturizzato. Il corpo è in alluminio anodizzato nero, bronzo o naturale, opaco e spazzolato. SOTTILE DE è a doppia emissione.	La sorgente luminosa è a LED e a modulo integrato. Il cavo elettrico è coassiale e di colore nero opaco. Sono disponibili vari rosoni e sistemi di alimentazione.

Finish	.29 Brushed Bronze	.36 Brushed Black
	.44 Natural Aluminium	



SOTTILE
21W
24V DC
2700K - 852lm / 3000K - 897lm
CRI >90
Driver not included
CE IP20 E

Brushed Bronze - 2700K	1A4232900.27.20
Brushed Bronze - 3000K	1A4232900.30.20
Brushed Black - 2700K	1A4233600.27.20
Brushed Black - 3000K	1A4233600.30.20
Natural Aluminium - 2700K	1A4234400.27.20
Natural Aluminium - 3000K	1A4234400.30.20




SOTTILE DE
42W
24V DC
2700K - Up 852lm - Down 852lm /
3000K - Up 897lm - Down 897lm
CRI >90
Driver not included
CE IP20 E

Brushed Bronze - 2700K	1A4642900.27.20
Brushed Bronze - 3000K	1A4642900.30.20
Brushed Black - 2700K	1A4643600.27.20
Brushed Black - 3000K	1A4643600.30.20
Natural Aluminium - 2700K	1A4644400.27.20
Natural Aluminium - 3000K	1A4644400.30.20

Compulsory accessories / Accessori obbligatori

Suspension kits / Kit di sospensione



Ceiling rose with driver / Rosone con alimentatore			Not included
Matt White	Input 110-240V - 50/60Hz Output 24V DC - Max 42W IP20 - DALI - PUSH - 1-10V - TRIAC	1X0200300.16.05	
Matt Black	Input 110-240V - 50/60Hz Output 24V DC - Max 42W IP20 - DALI - PUSH - 1-10V - TRIAC	1X0200400.16.05	



Ceiling rose without driver / Rosone senza alimentatore			Not included
Matt White	For suspension cables - 1 Piece	1X0010300.01.00	
Matt Black	For suspension cables - 1 Piece	1X0010400.01.00	
Matt White	For electrical cables - 1 Piece	1X0010300.04.00	
Matt Black	For electrical cables - 1 Piece	1X0010400.04.00	


Compulsory accessories / Accessori obbligatori

Suspension kits / Kit di sospensione




Recessed rose without driver / Rosone da incasso senza alimentatore			Not included
Matt White	For suspension cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm For 12,5 mm plasterboard	1X0000300.01.00	
Matt Black	For suspension cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm For 12,5 mm plasterboard	1X0000400.01.00	
Matt White	For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm For 12,5 mm plasterboard	1X0000300.04.00	
Matt Black	For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm For 12,5 mm plasterboard	1X0000400.04.00	

Drivers / Alimentatori




Driver / Alimentatore			Not included
100-240V	24V/50W/IP20/ON/OFF	1Z1120490	



Controller			Not included
	DALI - PUSH - 0/1-10V - TRIAC - IP20	1Z2170010	

Optional accessories / Accessori opzionali

Suspension kits / Kit di sospensione



Sloped ceiling suspension hook / Gancio di sospensione per soffitto inclinato				Not included
	Chrome plated - 1 Piece	Use only with Ceiling rose with driver 1X020	1A0530000.00.00	


SOTTILE




SOTTILE




SUSPENSION GUIDELINE / GUIDA PER LE SOSPENSIONI



CEILING




RECESSED





SUSPENSION KITS / KIT DI SOSPENSIONE

CEILING SUSPENSION KITS

	Version	Use	Product reference	Finish	Code
Ceiling rose with driver*					
			See product page.		
Ceiling rose without driver					
	Ceiling rose without driver 01	For suspension cables	SOTTILE SOTTILE SISTEMA	Matt White	1X0010300.01.00
				Matt Black	1X0010400.01.00
	Ceiling rose without driver 02	For electrical cables	MAGIA	Matt White	1X0010300.02.00
				Matt Black	1X0010400.02.00
	Ceiling rose without driver 03	For suspension cables	MASAI REFLEX S	Matt White	1X0010300.03.00
				Matt Black	1X0010400.03.00
	Ceiling rose without driver 04	For electrical cables	ASINTOTO REFLEX S SOTTILE SOTTILE SISTEMA taO	Matt White	1X0010300.04.00
				Matt Black	1X0010400.04.00
	Ceiling rose without driver 05	For electrical cables	CARTESIO LOUIS XIV SOTTOSOPRA	Matt White	1X0010300.05.00
				Matt Black	1X0010400.05.00
	Ceiling rose without driver 06	For electrical cables	CATHODE MISS OVO OVONELPIATTO	Matt White	1X0010300.06.00
				Matt Black	1X0010400.06.00

SUSPENSION KITS / KIT DI SOSPENSIONE

RECESSED SUSPENSION KITS					
	Version	Use	Product reference	Finish	Code
Recessed rose without driver					
	Recessed rose without driver 01	For suspension cables	SOTTILE SOTTILE SISTEMA	Matt White	1X0000300.01.00
				Matt Black	1X0000400.01.00
	Recessed rose without driver 02	For electrical cables	MAGIA	Matt White	1X0000300.02.00
				Matt Black	1X0000400.02.00
	Recessed rose without driver 03	For suspension cables	MASAI REFLEX S	Matt White	1X0000300.03.00
				Matt Black	1X0000400.03.00
	Recessed rose without driver 04	For electrical cables	ASINTOTO REFLEX S SOTTILE SOTTILE SISTEMA taO	Matt White	1X0000300.04.00
				Matt Black	1X0000400.04.00
	Recessed rose without driver 05	For electrical cables	CARTESIO LOUIS XIV SOTTOSOPRA	Matt White	1X0000300.05.00
				Matt Black	1X0000400.05.00
	Recessed rose without driver 06	For electrical cables	CATHODE MISS OVO OVONELPIATTO	Matt White	1X0000300.06.00
				Matt Black	1X0000400.06.00
	Recessed rose without driver*		CATHODE MISS OVO OVONELPIATTO	Matt White	1X0230300.04.00
				Matt Black	1X0230400.04.00
	Recessed rose without driver*		SIMBIOSI	Matt White	1X0220300.03.00
				Matt Black	1X0220400.03.00

The sizes are expressed in millimeters.

* Custom finish available on request. / Finitura personalizzata su richiesta.