




Wall or ceiling or floor luminaire with direct light for outdoor use.	A small black dot that reveals its function only when necessary.	The body is in matt black anodised aluminium. The fixing elements are in AISI 316 stainless steel. The glass is available with transparent or black finish. BUIO - SPOT is adjustable in one direction. A range of installation accessories are available.	The light source is LED with integrated module. The electric cable is matt black and 1 m long. The driver is not included but is available as an accessory. An electric connector is included for outdoor use.
Apparecchio di illuminazione da parete o da soffitto o da terra, a luce diretta, per esterni.	Un piccolo punto nero che svela la sua funzione solo quando necessario.	Il corpo è in alluminio anodizzato nero opaco. Gli elementi di fissaggio sono in AISI 316. Il vetro è disponibile trasparente o nero. BUIO - SPOT è orientabile in una direzione. Sono disponibili diversi accessori d'installazione.	La sorgente luminosa è a LED e a modulo integrato. Il cavo elettrico è di colore nero opaco e 1 m di lunghezza. Il driver non è incluso, ma è disponibile come accessorio. È incluso un connettore elettrico per esterni.




BUIO - 13°

Black filter
6,4W
24V DC
2700K - 93lm / 3000K - 93lm
CRI >90
Beam 13°
UGR <19
Driver not included



Matt Black - 2700K	1A5040400.27.20
Matt Black - 3000K	1A5040400.30.20




BUIO - 25°

Black filter
6,4W
24V DC
2700K - 158lm / 3000K - 158lm
CRI >90
Beam 25°
UGR <19
Driver not included



Matt Black - 2700K	1A5060400.27.20
Matt Black - 3000K	1A5060400.30.20




BUIO - 32°

Black filter
6,4W
24V DC
2700K - 144lm / 3000K - 144lm
CRI >90
Beam 32°
UGR <19
Driver not included



Matt Black - 2700K	1A5050400.27.20
Matt Black - 3000K	1A5050400.30.20




BUIO ELLIPTICAL

Black filter
6,4W
24V DC
2700K - 91lm / 3000K - 91lm
CRI >90
UGR <19
Driver not included



Matt Black - 2700K	1A5070400.27.20
Matt Black - 3000K	1A5070400.30.20




BUIO - 13°

Transparent filter
6,4W
24V DC
2700K - 247lm / 3000K - 247lm
CRI >90
Beam 13°
UGR <19
Driver not included



Matt Black - 2700K	1A5080400.27.20
Matt Black - 3000K	1A5080400.30.20




BUIO - 25°

Transparent filter
6,4W
24V DC
2700K - 257lm / 3000K - 257lm
CRI >90
Beam 25°
UGR <19
Driver not included



Matt Black - 2700K	1A5100400.27.20
Matt Black - 3000K	1A5100400.30.20




BUIO - 32°

Transparent filter
6,4W
24V DC
2700K - 297lm / 3000K - 297lm
CRI >90
Beam 32°
UGR <19
Driver not included



Matt Black - 2700K	1A5090400.27.20
Matt Black - 3000K	1A5090400.30.20



BUIO ELLIPTICAL


Transparent filter
6,4W
24V DC
2700K - 233lm / 3000K - 233lm
CRI >90
UGR <19
Driver not included




Matt Black - 2700K	1A5110400.27.20
Matt Black - 3000K	1A5110400.30.20

Compulsory accessories / Accessori obbligatori


Installation kits / Kit d'installazione




Wall bracket / Staffa da parete		Not included
Stainless Steel	Brushed INOX	1A4431000.00.00



Ceiling rose / Rosone		Not included
Matt Black	Brushed INOX	1A4441000.00.00




Earth spike / Picchetto		Not included
Stainless Steel	Brushed INOX	1A4451000.00.00



Tree strap / Cinghia per albero		Not included
Standard	Length 1 m	1A4590000.00.00

Drivers / Alimentatori



Driver / Alimentatore		Not included
110-240V	24V/25W/IP67/ON/OFF	1Z1120620

Optional accessories / Accessori opzionali

Installation kits / Kit d'installazione



Driver connector IP68 / Connettore driver IP68		Included
	1 Piece	1A1660000.00.00

